

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 08/13/2015

SECTION 1: Identification

1.1. Identification

Product form : Mixture

Product name : Crystal Care Carpet Cleaner

Product code : 1643-6219

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Cleaners, liquids (all purpose cleaners, sanitary products, floor cleaners, glass cleaners, carpet

cleaners, metal cleaners)

1.3. Details of the supplier of the safety data sheet

Oxymagic North East 132 Little Falls Road Fairfield, NJ 07004

1.4. Emergency telephone number

Emergency number : (800) 535-5053

SECTION 2: Hazard(s) identification

2.1. Classification of the substance or mixture

GHS-US classification

Acute toxicity (inhalation:dust,mist) Category 4 H332 Serious eye damage/eye irritation Category 2A H319

Full text of H statements: see section 16

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS07

Signal word (GHS-US) : Warning

Hazard statements (GHS-US) : H319 - Causes serious eye irritation

H332 - Harmful if inhaled

Precautionary statements (GHS-US) : P261 - Avoid breathing dust/mist/spray

P264 - Wash hands and forearms thoroughly after handling P271 - Use only outdoors or in a well-ventilated area

P280 - Wear protective gloves/eye protection/face protection

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing
P312 - Call a poison center/doctor/... if you feel unwell

P337+P313 - If eye irritation persists: Get medical advice/attention

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substance

Not applicable

3.2. Mixture

08/26/2016 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Name	Product identifier	%	GHS-US classification
Hydrogen Peroxide, conc=35%, aqueous solution	(CAS No) 7722-84-1	1 - 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
Sodium N-Lauroyl Sarcosinate	(CAS No) 137-16-6	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H335

Full text of hazard classes and H-statements : see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow victim to breathe fresh air. Allow the victim to rest. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you

feel unwell.

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water, followed

by warm water rinse.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to

do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

inhaled.

Symptoms/injuries after eye contact : Causes serious eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire-fighting water from entering environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect

spillage. Store away from other materials.

6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection.

08/26/2016 EN (English US) 2/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. Use only outdoors or in a well-ventilated area. Avoid breathing dust/mist/spray.

Hygiene measures : Wash hands and forearms thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from heat, hot surfaces,

sparks, open flame and other ignition sources. No smoking. Keep container closed when not in

IISE

Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Sodium N-Lauroyl Sarcosinate (137-16-6)

Not applicable

Hydrogen Peroxide, conc=35%, aqueous solution (7722-84-1)

Not applicable

8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves/eye protection/face protection protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear appropriate mask.

Other information : Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : clear light yellow

Odor : mild

Odor threshold : No data available

pH : 5 - 5.5

Melting point : No data available
Freezing point : No data available
Boiling point : 212 - 220 °F
Flash point : > 200 °F

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Non flammable. Vapor pressure : No data available Relative vapor density at 20 °C : No data available

Relative density : 1.036

Solubility : Soluble in water. Log Pow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available : No data available **Explosion limits** Explosive properties : No data available

08/26/2016 EN (English US) 3/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

Fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Inhalation:dust,mist: Harmful if inhaled.

Crystal Care Carpet Cleaner	stal Care Carpet Cleaner		
ATE US (dust, mist)	2.890 mg/l/4h		
Sodium N-Lauroyl Sarcosinate (137-16-6)			
LD50 oral rat	> 5000 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity; Experimental value)		
LC50 inhalation rat (mg/l)	0.05 - 0.5 mg/l/4h (Rat; Experimental value)		
ATE US (vapors)	0.050 mg/l/4h		
ATE US (dust, mist)	0.050 mg/l/4h		

Skin corrosion/irritation : Not classified pH: 5 - 5.5

: Causes serious eye irritation.

pH: 5 - 5.5

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : Not classified

Hydrogen Peroxide, conc=35%, aqueous solution (7722-84-1)

IARC group	3 - Not classifiable
Reproductive toxicity	· Not classified

Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

Serious eye damage/irritation

exposure)

: Not classified

Aspiration hazard : Not classified

Potential Adverse human health effects and

symptoms

: Based on available data, the classification criteria are not met. Harmful if inhaled.

Symptoms/injuries after inhalation : Danger of serious damage to health by prolonged exposure through inhalation. Harmful if

inhaled.

Symptoms/injuries after eye contact : Causes serious eye irritation.

SECTION 12: Ecological information

12.1. Toxicity

08/26/2016 EN (English US) 4/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Sodium N-Lauroyl Sarcosinate (137-16-6)		
LC50 fish 1	107 mg/l (EC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Danio rerio; Semi-static system; Fresh water; Experimental value)	
EC50 Daphnia 1	29.7 mg/l (LC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
Threshold limit algae 1	79 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system)	
Hydrogen Peroxide, conc=35%, aqueous solution (7722-84-1)		
LC50 fish 1	16.4 mg/l (LC50; 96 h)	
EC50 other aquatic organisms 1	2.5 mg/l (72 h; Chlorella vulgaris)	
EC50 Daphnia 2	7.7 mg/l (EC50; 24 h)	

12.2. Persistence and degradability

Crystal Care Carpet Cleaner	
Persistence and degradability	Not established.
Sodium N-Lauroyl Sarcosinate (137-16-6)	
Persistence and degradability	Readily biodegradable in water. No (test)data on mobility of the substance available.
Hydrogen Peroxide, conc=35%, aqueous solution (7722-84-1)	
Persistence and degradability	Biodegradability: not applicable. No (test)data on mobility of the components available. Photolysis in the air.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable

12.3. Bioaccumulative potential

12101 Blockodalitatativo potonitati		
Crystal Care Carpet Cleaner		
Bioaccumulative potential	Not established.	
Sodium N-Lauroyl Sarcosinate (137-16-6)		
Log Pow	4.10 (Estimated value; 0.37; Calculated)	
Bioaccumulative potential	No straightforward conclusion can be drawn based upon the available numerical values.	
Hydrogen Peroxide, conc=35%, aqueous solution (7722-84-1)		
Log Pow	-1.36	
Bioaccumulative potential	Bioaccumulation: not applicable.	

12.4. Mobility in soil

Sodium N-Lauroyl Sarcosinate (137-16-6)	
Surface tension	0.0405 N/m (20 °C; 2 %; 0.0683 N/m; 20 °C; 0.001 %)

12.5. Other adverse effects

Effect on the global warming : No known effects from this product.

GWPmix comment : No known effects from this product.

Other information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Other information : No supplementary information available.

08/26/2016 EN (English US) 5/6

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

TDG

Transport by sea

Air transport

SECTION 15: Regulatory information

15.1. US Federal regulations

Crystal Care Carpet Cleaner

Not listed on the United States TSCA (Toxic Substances Control Act) inventory

Sodium N-Lauroyl Sarcosinate (137-16-6)

Listed on the United States TSCA (Toxic Substances Control Act) inventory

Hydrogen Peroxide, conc=35%, aqueous solution (7722-84-1)

Listed on the United States TSCA (Toxic Substances Control Act) inventory Not subject to reporing requirements of the United States SARA Section 313

15.2. International regulations

CANADA

No additional information available

EU-Regulations

No additional information available

National regulations

No additional information available

15.3. US State regulations

No additional information available

SECTION 16: Other information

Revision date : 08/13/2015 Other information : None.

Full text of H-phrases:

٠,,	A C I I PINGOOD		
	H315	Causes skin irritation	
	H318	Causes serious eye damage	
	H319	Causes serious eye irritation	
	H332	Harmful if inhaled	
	H335	May cause respiratory irritation	

HMIS III Rating

Health : 1 Slight Hazard - Irritation or minor reversible injury possible

Flammability : 0 Minimal Hazard - Materials that will not burn

Physical : 0 Minimal Hazard - Materials that are normally stable, even under fire conditions, and will NOT

react with water, polymerize, decompose, condense, or self-react. Non-Explosives.

Personal protection : E

B - Safety glasses, Gloves

SDS US (GHS HazCom 2012)

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product

08/26/2016 EN (English US) 6/6